

# 10,000W CASOLINE GENERATOR WITH ELECTRIC START & WHEELKIT

- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation
- Neutral bonded to frame
- CSA & EPA approved

 $<\!\!(\circ)\!(\circ)\!(\circ)$ 



# NFRARED DIGITAL THERMOMETER WITH

K-550

-50°C~550°C -58°F~1022°F



### **RV GENERATOR ADAPTER**

### K-TT30R

This adapter allows a generator with a NEMA L5-30R 125V twist lock receptacle to be connected to recreational vehicles

that use typical **RV** extension cords

### **GENERATOR EXTENSION CORDS**

Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C) Number of 120V plugs: 4



# Extension cord length: 25 feet

Gauge (AWG)/Cord: 10 (SJTW 4/C) Number of 120V plugs: 4



Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJW 4/C) Number of 120V plugs: 4 NEW



# O" SLIDING COMPOUND MITER SAW WITH TWIN LASER · Compound cuts (miter and bevel) up to 45° to the left Comes with retractable extension wings, vertical hold down vise, and dust bag \$179.99

- Forward/reverse switch
- Drill or hammer mode switch
  Depth stop gauge for depth drilling

amp. motor





- Quick release latch
- TWO (2) LED work lights
- For indoor and outdoor use in dry locations



Each work light contains 100 LEDs which emit 2400 lumens

KC-2401LED

\$9999

KC-2402LED-ST



- Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45°
- Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide







4"x 36" SANDING BELT KITS					
	Model	Belt Size	Grit	Units/Kits	Price
	SB-436-K-60	4"x36"	60	2	\$6.99
	SB-436-K-80	4"x36"	80	2	\$6.99
	SB-436-K-100	4"x36"	100	2	\$6.99
	SB-436-K-120	4"x36"	120	2	\$6.99



Kit includes:

- Camera handle, 9mm dia. x 39" flexible-obedient camera probe
- 2.4" diagonal TFT-LCD color monitor,
- Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and



5"86" METAL

• 3 speeds (80-120-200 FPM)

200 99

KC-129C

# RELESS INSPECTION CAMERA WITH RECORDABLE LCD MONITOR

Kit includes: Camera handle, 39"x 9mm flexible-obedient camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color extension, 3.5 miletes color monitor, monitor Licion charger, 3 accessory tools (45º mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD memory card and



# BE FOR INSPECTION CAMERAS

- 4.5mm diameter x 39" flexible-obedient camera probe waterproof to IP67 standards
- · LED lights inside the camera probe tip illuminate dark spaces







25 PC. RUBBER SANDING DRUM **KIT** KW-019 Comes in a

moulded plastic box 300 PC. DRILL & **BIT ACCESSORY** KDB-300K

**PRESS** CHUCK

**SAFETY** 

GUARD

Fits KC-116C

& KC-116FC

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Length Width Blade Material TPI

- Heavy-duty all steel construction
- Safety pressure relief valve
- Loading abrasive is made simple using the concave funneltop of the tank

PRESSURE ABRASIVE 54

- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast

hood and teflon tape

• Durable pump included





Durable pump included

# **BONUS** 4"DRILL PRESS VISE With the purchase of # KC-116C

**DRILL PRESS** WITH **DUAL LASER GUIDE SYSTEM** 

KC-116C

- 7.5 amp. motor
- 16 speeds (210-3670 R.P.M.)
- 13" Swing
- 3 1/8" Stroke
- 5/8" Chuck



# **DRILL PRESS WITH**

BONUS 4"DRILL PRESS VISE

With the

purchase

of # KC-116FC

- 7.5 amp. motor
- 16 speeds (210-3670 R.P.M.)
- 13" Swing





• 3 1/8" Stroke

• 5/8" Chuck

 Standard 14" abrasive wheel

- Spark deflector for safe operation
- Quick release vise for holding workpiece, allows cuts up to a 45° angle
- Onboard abrasive whee wrench







**Variable speed from 450 - 3,800 RPM** 

# WOOD LATHE

- All precision-machined cast-iron bedway
- 6 speeds (480, 1270, 1960, 2730,3327, 4023) RPM
- Complete with MT#2 live center, MT#2 spur center, 3" faceplate, steel knock-out bar, hex. keys and safety glasses



**OPTIONA** EXT-1016

**FXT-1218VS** 

Extension bed increases the spindle turning capacity to 38

Pivoting headstock turns 180°and

locks into position for outboard turning

8 PC. WOOD LATHE

Comes in a wood box

CHISEL SET

**PRO-08** 

Long 10" hard wood handles

Extension bed increases the spindle turning capacity to 44'

### 3"VARIABLE SPEED WOOD LATHE WITH DIGITAL READOUT

- Spindle tachometer with digital readout
- Variable speed from 600 2,400 RPM
- · Quick release headstock, tailstock and
- tool rest assembly for easy adjustments Comes complete with 6" face plate, 12" tool rest with offset and base, MT#2 headstock and tailstock centres and adjustment wrenches



### ABRASIVE CLEANEI KW-043 1 1/2" x 1 1/2" x 8 1/2'

#### FOLDING ROLLER **STAND ROLLER STAND**

• Stand height is adjustable from 27" to 44"

# 3 in 1 FOLDING

- Easily change from a roller, omni-directions or a flat support
- Stand height is adjustable from 27" to 44"





### EXTENDABLE UNIVERSAL

MOBILE BASE KMB-1250 3

# ADJUSTABLE KNIFE JIG ALIGNMENT KIT

#### 8" DADO BLADE SET **(SC-8000)**

MAGNETIC & MICRO

KNIFE JIG ALIGNMENT KIT

- Carbide-Tipped 24 tooth ATB-R Dado blades
- Cuts grooves from 1/8' to 13/16" wide 5/8" Arbor, 7,000 maximum R.P.M.

4 JAW - 4" WOOD

LATHE CHUCK

KWL-1218VS & KWL-1443VS

KW-100

Fits models KWL-1016C,

Comes with 14 pc



























# 950W PORTABLE GENERATOR

### • Brushless alternator and electronic ignition

• Outlet: 120V/6.7 amp AC output

• Outlet: 12V/5.3 amp DC output

· AC and DC circuit breakers and reset buttons for safe operation

Comes with DC cables and



**1500W GASOLINE GENERATOR** 

- Low oil shut-off with indicator light protects the engine • Duplex Outlet: 120V/10 amp. AC output
- •Terminals: 12V, 8 amp. DC output
- AC and DC circuit breakers for safe operation



**3000W DIGITAL INVERTER GENERATOR** WITH REMOTE ELECTRIC START

**INVERTER GENERATOR** PARALLEL CABLE KIT

NEMA L5-30R twist lock receptacle on one side

and an RV NEMA TT-30R receptacle on the other his kit allows parallel connectivity between two identical overter Generators for combined output power

2000W GASOLINE DIGITAL INVERTER GENERA

Sine wave digital inverter generate provides stable current to power

voltage-sentitive electronics

DC USB port: 5V/1.5 amp
DC output for charging

smartphones, tablettes or

12V/8 amp DC output AC Duplex Outlet: 120V /13.3 amp AC output

any USB powered equipment DC Cigarette Lighter Socket:

#### KCG-3000i

- Sine wave digital inverter generator provides stable current to power voltage-sentitive electronics
- Duplex outlet: 120V/20 amp AC Twist lock outlet: 120V/30 amp AC DC outlet: 12V/8.3 amp output

NEW

• 12V battery, DC cables, extra spark plug, spark plug socket, oil fill container, screwdriver and



#### G-4200G

- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC





• 92' Total head lift (total height at sea level, to which water can be raised above original water level) Easy start recoil starter

• Oil sensor shuts off engine when oil level is low

2000 PSI GASOLINE HIGH

2000 PSI, 1.8 GPM maximum water flow Thermal relief valve on pump to protect against

connect coupling
Comes with 8" pneumatic wheels for portability
and 4 quick connect nozzles (0°, 25°, 40° and

3000 PSI GASOLINE HIGH

3000 PSI, 2.3 GPM maximum water flow Thermal relief valve on pump to protect against

25' high pressure hose and inlet hose quick connect coupling Comes with 10" pneumatic wheels for portability and 5 quick connect nozzles ( 0°, 15°, 25°, 40°

PRESSURE WASHER

**PRESSURE WASHER** 

· Comes with 3 wire clamps, 4 hose adaptors,



WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor

2" X 25 ft

CLEAR PVC REINFORCED SUCTION HOSES

3" X 25 ft

FLAT PVC DISCHARGE HOSES 2" X 50 ft 3" X 50 ft



# AIR COMPRESSORS & crosscrips

# ULTRA-QUIET OIL-FREE AIR COMPRESSORS

- Light weight aluminum tank3.80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure
- ASME safety valve



2 HP (PEAK) (60 Decibels)

- Light weight aluminum tanks3.80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- tank pressure ASME safety valve



2 HP (PEAK) (60 De

# AIR TOOL KIT

- Comes with
- 1/2" Impact Wrench, 3/8" Ratchet Wrench
- Air Hammer and 1/4" Die Grinder

 $( \circ )$ 





**MPG** 



#### HYBRID POLYMER INDUSTRIAL AIR HOSES 2514H 25'x1/4" 25'x3/8" \$25.99 K-5014H 50'x1/4" \$29 99 \$39.99 50'x3/8" K-10014H 100'x1/4" \$49.99 C-10038H 100'x3/8"

ARCTIC FLEX

All-Weather Flexibility (-40°C to 65°C)

**300 PSI MAXIMUM PRESSURE** 

## 1.5 HP AIR COMPRESSOR 8449N



1.5 HP AIR COMPRESSOR **COMBO KIT** 

Kit includes?

• 1- 1.5 HP air compressor (8449N) • 1- 18 gauge x 2" brad nailer kit (8200B) 1-3/8" x 25' air hose 300 PSI (KAH-3825)

Safety Valve

145 HP 2 gallon tank

### CORDLESS STAPLER KIT - DRIVES ARROW® T50® STAPLES

### 8150CT

- Drives 3/8" crown x 20 Ga. Arrow® T50® staples from 1/4" - 9/16" and 18 Ga. brad nails from 3/8" - 5/8"
- 4.8V, 1.3 Ah Ni-Mh battery pack



## STAPLER KIT - DRIVES ARROW® T50® STAPLES

#### 8140S

- 1/4" 9/16" Staple range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



### 21 GA. X 5/8" -1/2" CROWN UPHOLSTERY STAPLER KIT 8121S

- 1/4" to 5/8" Staple range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



### 18GA. X 1" - 1/4" NARROW **CROWN STAPLER KIT** 8101S

- 3/8" to 1" Staple range
- Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case



# 16 GA. X 2" - 7/16" MEDIUM **CROWN STAPLER KIT**

- 8216S
- 3/4" to 2" Staple range Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



## 23GA, X 1 3/8" HEADLESS PIN NAILER KIT

#### 8223PN

- 1/2" to 1-3/8" Pin range
- Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy



### 23GA. X 2" HEADLESS PIN **NAILER KIT**

#### 8251PN

- 1/2" to 2" Pin range Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and sturdy



### 18GA, X 2" **BRAD NAILER KIT** 8201N

- 3/4" to 2" Nail range Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



### 18 GA. NAILER/ STAPLER KIT

# 8210NS

- 18 Ga. x 1/4" (3/8" to 1 5/8") stapler
  18 Ga. x 1/4" (3/4" to 2") noiler
  Comes with 1/4" air inlet, oiler, hex. keys



# PALM NAILER

#### 8120P

- · Powerful palm nailer drives bulk, framing, timber and finishing nails up to 4-1/2" (120mm) in length
- Magnetic nail holder for fast and easy nailing
- · Comes with oiler and hex. key





### 16GA. X 2 1/2" BRAD **NAILER KIT** 8225N

- 3/4" to 2 1/2" Nail range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



### COIL ROOFING NAILER KIT 8245R

- 7/8" to 1 3/4" (11 Ga.) Comes with 1/4" air inlet, debris shield, safety glasses, oiler, hex. keys and sturdy carrying case



# 18 GA. 2" BRAD NAILER / 1" NARROW CROWN STAPLER

8201N/8101SK

Kit Includes:

• 3/4" to 2 " Nailer • 3/8" to 1" Stapler • Comes with 1/4" air inlet, oiler, hex. keys and sturdy carrying case



**COMBO KIT** 

# **DELUXE NAILER KIT WITH BONUS STAPLER**

ADJUSTABLE AIR DEFLECTOR

28° Clipped head framing nailer
18 ga. x 1" Narrow crown stapler
18 ga. x 2" Brad nailer





# 30° - 34° CLIPPED HEAD CORDLESS GAS FRAMING NAILER KIT CHOURCHARGER PUB SEATURITY PAGES • Drives standard 30°-34° Paslode<sup>TM</sup> and

- Senco<sup>™</sup> paper collated clipped head nails Accepts Paslode<sup>™</sup> and Senco<sup>™</sup> fuel cells
- Powered by 6V 1.8Ah Ni-Mh battery and fuel cell (fuel cell sold separately)



# 2" FLOORING STAPLER/ **CLEAT NAILER KIT**

- 8260FSN-2
   1 " to 2" Staple range
   1 1/2 " to 2" Cleat nail range
  • Comes with mallet, 1/4"
- air inlet, safety glasses, oiler, hex. keys & sturdy carrying case



## 2" FLOORING STAPLER/ **CLEAT NAILER KIT**

- 1 1/2" to 2" staple
- range 1 1/2 " to 2" "L" & "T"
- cleat nail range
- Comes with nylon-fibre glass mallet, 1/4' air inlet, safety glasses, oiler, hex. keys & sturdy carrying case





## 18GA. BRAD NAILER/STAPLER & FLOORING NAILER/STAPLER KIT

#### 8241FNS

- Standard 18 Ga. brad nails and 18 Ga. 1/4" crown
- Comes with 1/4" air inlet, oiler, hex. keys & sturdy







KW-4819

\$11,22

**\$11**,99





operates at 14,000 opm

• Comes with 60, 100 grit sandpaper, rear vacuum port, detachable dust bag and sandpaper punch plate



# 1/3 SHEET PALM SANDER

· Powerful 1.6 Amp. motor operates at 24,000 opm

• Comes with 12 pieces of abrasives, dust port adaptor and sandpaper punch plat



### **DETAIL PALM SANDER** 8303N • 1.2 amp motor

• Comes with 12 pieces of abrasives (4 x 80 grit, 4 x 120 grit, 4 x 180 grit) and dust port adaptor

9 PC. SANDING PAPER KIT



5pc. paint scraper kit



# 5" RANDOM ORBIT SANDER

8305

• 1.5 amp motor • Comes complete with 9 PC. accessories &

sturdy carrying case 5" DISC HOOP AND LOOP SANDING

PAPER KIT KW-067 \$6

12V LI-ION CORDLESS

12V, 1300 m-Ah Li-ion battery provides longer run time
3/8" "Jacobs" keyless chuck

Built-in high output LED light
 Comes with 1 Lion battery,
 6 drill bits, 6 screwdriver bits, bit
 extension and sturdy carrying case



# DRILLING & MIXING KIT

### 8316N

• 0 - 600 RPM - 9 amp. motor

Forward/reverse switch

 Variable speed trigger with lock-on button

 Double gear reduction for added torque

• Rear D-handle rotates 360°

 Comes with 1/2" chuck, 3 galvanized mixing

paddles (10mm hex. shank), wrench and sturdy carrying case

Replacement Li-ion Battery K-8012LBT Fits: 8010L &

DRILL KIT



YOUR CHOICE

# 12V/LI-ION CORDLESS IMPACT DRIVER KIT

Powerful 710 in/lbs of driving force 12V, 1300 m-Ah Li-ion battery provides longer run time

provides longer run time

• Built-in high output LED light

Comes with 1 Li-ion battery,

4 nut drivers with 1/4" hex,

shank (6, 8, 10 & 12mm), 2 screwdriver bits (Robertson #1, #2), 1/4" socket adapto and sturdy carrying case













DUALSAW



1/2" SHANK

4,99

**REPLACEMENT** 

APPLICATOR

& BUFFING

KM-030

**BONNETS KIT** 

